



2020 waterjet parts price book

Premium waterjet parts for every brand

Replacement parts suitable for KMT®



We have worked a lifetime on your shop floor

AccuStream has been in the waterjet business from the beginning. Our founder is an industry pioneer, leading research and development on the first generations of high-pressure intensifier pumps. Early on, he opened a waterjet job shop – the shop that would be the genesis of AccuStream.

Born and raised as a waterjet job shop, we proved ourselves by overcoming the same challenges you confront every day: staying competitive in the market, keeping machines running, finding affordable replacement parts and technical service and quickly making repairs to get back into production. In our search for the best ways to be competitive and conquer other keep-you-up-at-night dilemmas, we found a recurring truth – we were uniquely positioned to develop replacement parts for waterjets. And not just any replacement parts, but parts that met our own high standards for component life, quality, availability and price. This is the idea that launched AccuStream and our products for all waterjets.

We felt from the beginning that providing long-lasting, high quality parts was not enough. As a waterjet user, you need a partner who you can depend on to pick up the phone when you call, answer your waterjet questions, help with your day-to-day waterjet dilemmas and deliver parts with the sense of urgency demanded by your business. A partner who can get you what you need when you need it. How do we know? We've been there.

As a brand of Hypertherm, we're taking that care to a whole new level. We are 100% Associate-owners of Hypertherm, which means that each of us has a vested interest in your satisfaction and a strong drive to provide the best products and services. Let us earn your business with replacement parts engineered and manufactured in America. Parts that can lower your cost of ownership by delivering more cuts, more work hours, increased productivity and ultimately greater profitability. Parts delivered with a level of service that you will only find with AccuStream.



Table of contents

AccuStream parts

Orifices

DiaLine orifices	4
A2 orifices	4
Thimble filters	4

Nozzles

DiaLine nozzles	5
A2 nozzles	5

Cutting heads

DiaLine cutting heads	8
DiaLine adapters	9
AccuValve adapters	9
Water-only conversion parts	9

Cutting heads

DiaLine4 cutting head	12
DiaLine4 parts	12
DiaLine4 orifices	12

On/off valves

DiaLine on/off valves	14
DiaLine on/off valve mounting hardware	15
AccuLine water-only on/off valves	15

Waterjet products

Waterjet bricks	17
Hypertherm abrasive regulators	17
Hypertherm abrasive pots	18
Hypertherm reverse osmosis systems	18

Replacement parts for KMT®

Orifices

Autoline® orifices	20
Long-stem orifices	20

Focusing tubes

.375 ROCTEC® 100 Focusing Tubes	20
---------------------------------------	----

Cutting heads

60K	21
-----------	----

On/off valves

60K	22
100K	23

Pump parts

Streamline® SL-IV and SL-V	24
Filters	27
Streamline® SL-V 75/100S	28

Replacement parts for high-pressure components

High-pressure tubing

60K tubing	30
OMAX®-specific high-pressure tubing	31
100K tubing	31
Protective sheathing	31

60K fittings

Swivel repair kits	32
Swivels	33
Straight couplings	34
Straight reducer couplings	34
Collars	34
Glands	34
Plugs	35
Adapters	35
Crosses	35
Tees	35
Elbows	36
Two-way straight valves	36
Two-way angle valves	36
Three-way angle valves	36
Inline wyes	36
Antivibration assemblies	37

100K fittings

Swivels	37
Antivibration assemblies	37

Nipples

Nipples	38
---------------	----

Hardware

Tube clamp pairs	39
Inline filters	39

Tools

Coning and threading tools	40
Other tools	42

Lubricants

Lubricants	43
------------------	----

Gauges

Gauges	43
--------------	----


Nozzles

DiaLine nozzles	46
A2 nozzles	47

Focusing tubes

.375 ROCTEC® 100 focusing tubes	48
.375 ROCTEC® 500 focusing tubes	48

AccuStream parts



AccuStream parts

Orifices

DiaLine orifices

AccuStream #	Description	
1-12835-XXX	Ruby Orifice Use for water and abrasive applications.	
1-12749-XXX	Diamond Orifice Use for water and abrasive applications.	
1-22835-XXX	Ultra Sapphire Orifice	

A2 orifices

AccuStream #	Description	
1-11007-XXX	Ruby Orifice Use for water and abrasive applications.	
1-11007DA-XXX	Diamond Orifice, Abrasive	
1-11007D-XXX	Diamond Orifice, Water-only	
1-21007-XXX	Ultra Sapphire Orifice	

-XXX indicates the availability of multiple sizes. Call us or visit AccuStream.com for details.

Thimble filters

AccuStream #	Description	
1-14279	Thimble Filter Assembly, 1/4-in. Female to 1/4-in. Male	
1-14281	Thimble Filter Bullet, 1/4 in. Use with 1-14279 Thimble Filter Assembly.	
1-13553	Thimble Filter Assembly, 1/4-in. Female to 3/8-in. Male	
1-11394	Adapter, 1/4-in. Female to 3/8-in. Male	
1-12533	Thimble Filter Element and Bullet Use with 1-13553 Thimble Filter Assembly.	
1-11288	Thimble Filter Coned Bullet Insert, 3/8 in. Use with 1-13553 Thimble Filter Assembly.	
1-13174	Thimble Filter Assembly, 3/8-in. Female to 3/8-in. Male	
1-12401	Thimble Filter Element	

Nozzles

DiaLine nozzles

.281 ROCTEC® 100

AccuStream #	Description	
1-22779-030-30	7,14 Mixing Tube, 0,76 mm x 76,2 mm (.281" x .030" x 3.00")	
1-22779-030-40	7,14 Mixing Tube, 0,76 mm x 101,6 mm (.281" x .030" x 4.00")	
1-22779-035-30	7,14 Mixing Tube, 0,89 mm x 76,2 mm (.281" x .035" x 3.00")	
1-22779-035-40	7,14 Mixing Tube, 0,89 mm x 101,6 mm (.281" x .035" x 4.00")	
1-22779-040-30	7,14 Mixing Tube, 1,02 mm x 76,2 mm (.281" x .040" x 3.00")	
1-22779-040-40	7,14 Mixing Tube 1,02 mm x 101,6 mm (.281" x .040" x 4.00")	

.281 ROCTEC® 500

AccuStream #	Description	
1-21277-030-30	7,14 Mixing Tube, 0,76 mm x 76,2 mm (.281" x .030" x 3.00")	
1-21277-035-30	7,14 Mixing Tube, 0,89 mm x 76,2 mm (.281" x .035" x 3.00")	
1-21277-040-30	7,14 Mixing Tube, 1,02 mm x 76,2 mm (.281" x .040" x 3.00")	
1-21277-040-40	7,14 Mixing Tube, 1,02 mm x 101,6 mm (.281" x .040" x 4.00")	

A2 nozzles

.300 ROCTEC® 100

AccuStream #	Description	
1-22781-030-30	7,62 Mixing Tube, 0,76 mm x 76,2 mm (.300" x .030" x 3.00")	
1-22781-040-30	7,62 Mixing Tube, 1,02 mm x 76,2 mm (.300" x .040" x 3.00")	

Replacement parts

AccuStream #	Description	
1-12276	Collet, .300 in.	
1-12762	Inlet Tube	
1-11362	Nozzle Splash Guard, Carbide	
1-11361	Nozzle Splash Guard, Rubber	

DiaLine™ from AccuStream

The industry's FIRST customizable cutting head

600 hours – that's the longest diamond warranty in the industry and it's only available with the DiaLine Cutting Head from AccuStream. The DiaLine Cutting Head not only lasts longer, it cuts more accurately and is the most customizable cutting head available. The DiaLine from AccuStream isn't just another cutting head. It's the best cutting head.



AccuStream parts

Cutting heads

DiaLine cutting heads

Single-inlet assemblies




AccuStream #	Description	
1-13904-2-1-1	.281 DiaLine Cutting Head Assembly Single 3/8-in. inlet, includes standard nozzle nut	
1-13904-2-1-2	.281 DiaLine Cutting Head Assembly Single 3/8-in. inlet, includes 3-in. clamping nut, nozzle splash guard	
1-13904-2-1-3	.281 DiaLine Cutting Head Assembly Single 3/8-in. inlet, includes 4-in. clamping nut, nozzle splash guard	
1-13904-2-2-1	.281 DiaLine Cutting Head Assembly Single 3/16-in. inlet, includes standard nozzle nut	
1-13904-2-2-2	.281 DiaLine Cutting Head Assembly Single 3/16-in. inlet, includes 3-in. clamping nut, nozzle splash guard	
1-13904-2-2-3	.281 DiaLine Cutting Head Assembly Single 3/16-in. inlet, includes 4-in. clamping nut, nozzle splash guard	

Dual-inlet assemblies

AccuStream #	Description	
1-13904-3-1-1	.281 DiaLine Cutting Head Assembly Dual 3/8-in. inlets, includes standard nut	
1-13904-3-1-2	.281 DiaLine Cutting Head Assembly Dual 3/8-in. inlets, includes 3-in. clamping nut, nozzle splash guard	
1-13904-3-1-3	.281 DiaLine Cutting Head Assembly Dual 3/8-in. inlets, includes 4-in. clamping nut, nozzle splash guard	
1-13904-3-2-1	.281 DiaLine Cutting Head Assembly Dual 3/16-in. inlets, includes standard nut	
1-13904-3-2-2	.281 DiaLine Cutting Head Assembly Dual 3/16-in. inlets, includes 3-in. clamping nut, nozzle splash guard	
1-13904-3-2-3	.281 DiaLine Cutting Head Assembly Dual 3/16-in. inlets, includes 4-in. clamping nut, nozzle splash guard	

Cutting heads

DiaLine adapters

AccuStream #	Description	
1-11358-4	Adapter, DiaLine to Flow® Short nozzle body, 4.330 in.	
1-11755	Adapter, DiaLine to KMT®	
1-12672	Adapter, Integrated, DiaLine to OMAX®	
1-13920	Adapter, Nonintegrated, DiaLine to OMAX®	
1-13721	Swivel Adapter, DiaLine to OMAX® (Tilt-A-Jet®)	
1-11009	Adapter, A2 to Jet Edge™, 3.5-in. Use with 1-11010 valve seat.	
1-11756	Swivel Adapter, DiaLine to Jet Edge™	
1-13841	Swivel Adapter, DiaLine to Jet Edge™, 7.50 in. Use with 1-11010 valve seat.	

AccuValve adapters

AccuStream #	Description	
1-13730	Swivel Adapter, 2.315 in. Use with DiaLine cutting head assemblies.	
1-13841	Swivel Adapter, 3.395 in. Use with DiaLine cutting head assemblies.	
1-13839	Swivel Adapter, 4.985 in. Use with DiaLine cutting head assemblies.	

Water-only conversion parts

AccuStream #	Description	
1-14321	Water-only Conversion Kit Use with 1-12835-XXX or 1-12749-XXX DiaLine Orifices. Includes adapter, seat, retainer nut	
1-14233	Adapter, Water-only	
1-14232	Seat, Water-only	
1-11299	Nozzle Retainer Nut	

AccuStream parts

Cutting heads

DialLine cutting heads

Replacement parts

AccuStream #	Description	
1-12747	Mixing Chamber Use with single-inlet cutting head assemblies.	
1-13556	Mixing Chamber Use with dual-inlet cutting head assemblies.	
1-13879	Abrasive Body Assembly Use with single-inlet cutting head assemblies. Includes mixing chamber, retainer collet, O-rings	
1-13901	Abrasive Body Assembly Use with dual-inlet cutting head assemblies. Includes mixing chamber, retainer collet, O-rings	
1-12752	Abrasive Inlet Connector, 3/8 in. Use with single-inlet and dual-inlet cutting head assemblies.	
1-13820	Abrasive Inlet Connector, 3/16 in. Use with single-inlet and dual-inlet cutting head assemblies.	
1-11679-012	Inlet O-ring	
1-11357	Retainer Collet	
1-12836	Set Screw	
1-11679-216	O-ring, -216	
1-13632	Clamping Nut, 3 in. Accepts 1-13727 Nozzle Splash Guard	
1-13848	Clamping Nut, 4-in. Accepts 1-13727 Nozzle Splash Guard	
1-12751	Nozzle Nut, Standard Does not accept 1-13727 Nozzle Splash Guard	
1-13727	Nozzle Splash Guard Use with 1-13198 Clamping Nut.	
1-13198	Clamping Nut	

Looking for orifices? See page 6. Looking for nozzles? See page 7. Looking for on/off valve repair kits? See page 19.

DiaLine4™ from AccuStream

Direct replacement for the Flow Paser 4

The new DiaLine4 is built with the same rigorous engineering used in our DiaLine cutting heads today. The DiaLine4's patent-pending cutting head technology is engineered to be a direct replacement for the Flow Paser 4 cutting head, requiring no additional configuring.



AccuStream parts

Cutting heads

DiaLine4 cutting head

AccuStream #	Description	Replaces	
1-18741	DiaLine4 complete assembly	1-14525	

DiaLine4 parts

AccuStream #	Description	Replaces	
1-11357	Collet		
1-11679-212	O-ring, -212		
1-12747	Mixing chamber		
1-12752	Abrasive Inlet Connector, 3/8 in.		
1-12836	Set screw		
1-14465	Blast disc	711933-1	
1-18717	Nozzle splash guard	711621-1 040411-1	
1-18718	Abrasive body	041138-1	
1-18719	Nozzle nut		

DiaLine4 orifices


AccuStream #	Description	
1-12749-XXX	Diamond orifice	
1-22835-XXX	Ultra sapphire orifice	
1-12835-XXX	Ruby orifice	

-XXX indicates the availability of multiple sizes. Call us or visit AccuStream.com for details.

AccuValve on/off valve

Rated for pressures up to 65K

The AccuValve is designed for flexible production in either pure water or abrasive waterjet cutting applications. Lightweight with a compact design, the AccuValve can be mounted on any motion system and provides responsive on/off control for pressures up to 65K. With long-life components and easy maintenance, the AccuValve ensures maximum uptime.



AccuStream parts

On/off valves

DiaLine on/off valves

AccuStream #	Description	
1-13903-1-1-1	On/off Valve, Top-inlet, 6.375 in. (A-dimension) Includes 6.375-in. swivel adapter	
1-13903-1-1-2	On/off Valve, Top-inlet, 7.50 in. (A-dimension) Includes 7.50-in. swivel adapter	
1-13903-1-1-3	On/off Valve, Top-inlet, 9.075 in. (A-dimension) Includes 9.075-in. swivel adapter	
1-13903-1-2-1	On/off Valve, Top-inlet, High-performance, 6.375 in. (A-dimension) Includes 6.375-in. swivel adapter	
1-13903-1-2-2	On/off Valve, Top-inlet, High-performance, 7.50 in. (A-dimension) Includes 7.50-in. swivel adapter	
1-13903-1-2-3	On/off Valve, Top-inlet, High-performance, 9.075 in. (A-dimension) Includes 9.075-in. swivel adapter	
1-13903-2-1-1	On/off Valve, Side-inlet, 6.375 in. (A-dimension) Includes 6.375-in. swivel adapter	
1-13903-2-1-2	On/off Valve, Side-inlet, 7.50 in. (A-dimension) Includes 7.50-in. swivel adapter	
1-13903-2-1-3	On/off Valve, Side-inlet, 9.075 in. (A-dimension) Includes 9.075-in. swivel adapter	
1-13903-2-2-1	On/off Valve, Side-inlet, High-performance, 6.375 in. (A-dimension) Includes short swivel adapter	
1-13903-2-2-2	On/off Valve, Side-inlet, High-performance, 7.50 in. (A-dimension) Includes 7.50-in. swivel adapter	
1-13903-2-2-3	On/off Valve, Side-inlet, High-performance, 9.075 in. (A-dimension) Includes 9.075-in. swivel adapter	

Looking for swivels? See page 78.

On/off valves

DiaLine on/off valve mounting hardware

AccuStream #	Description	
1-11198	AccuValve Front-mounting Collar, Standard	
1-13878	AccuValve Back-mounting Collar	
1-14142	Valve Body Mounting Plate, High-performance	

AccuLine water-only on/off valves

AccuStream #	Description	
1-13903-1-1-4	AccuLine On/off Valve, Top-inlet	
1-13903-1-2-4	AccuLine On/off Valve, Top-inlet, High-performance Use for high-cycle applications	
1-13903-2-1-4	AccuLine On/off Valve, Side-inlet	
1-13903-2-2-4	AccuLine On/off Valve, Side-inlet, High-performance Use for high-cycle applications	
1-12881	Adapter, Water-only Use with AccuLine On/off Valves	
1-12849	Water-only Nut Use with 1-12881 Water-only Adapter	

AccuLine assemblies are for water-only cutting heads. Use with 1-11007D-XXX Water-only Diamond Orifice or 1-11007-XXX Ruby Orifice. Looking for orifices? See page 6.

AccuStream parts

On/off valves

Repair kits

AccuStream #	Description	
1-12686	AccuValve Actuator Repair Kit Includes exhaust muffler, springs, fitting, snap rings, O-rings	
1-11328	On/off Valve and Bleed-down Valve Repair Kit Includes 1-11010 AccuSeat, needle, needle bearing, valve seal	
1-13683	High-cycle On/off Valve Repair Kit Includes 1-11010 AccuSeat, needle, needle guide, valve seal	

Assemblies

AccuStream #	Description	
1-12828	AccuValve Assembly, Top-inlet	
1-13732	AccuValve Assembly, Side-inlet	

Replacement parts

AccuStream #	Description	
1-11033	AccuValve Valve Body	
1-14141	AccuValve Valve Body, High-performance	
1-11010	AccuSeat	
1-11562	Needle	
1-13682	Straight Needle, High-cycle	
1-12178	Needle Bearing	
1-11043	Valve Seal	

Waterjet products

Waterjet bricks

AccuStream #	Description
1-11124B-6	Black Waterjet Bricks 6-pack
1-11124W-6	White Waterjet Bricks 6-pack

Waterjet cutting bricks are specially designed and manufactured to fully support parts during the waterjet cutting process. Made from a unique high-density polyethylene (HDPE), the bricks use a laminated flute pattern to minimize splashback from the jet while draining water and debris away quickly and effectively.

- Avoids part “frosting” from jet splashback
- Prevents small parts from falling into the catch tank
- Lightweight (11.4 lb per brick) and easy to handle
- Corrugation draws water and abrasive away from the cutting surface
- Corrosion free



Waterjet products

Hypertherm abrasive regulators

Accustream #	Description
1-13762	Hypertherm Abrasive Regulator II

Abrasive is the highest operating expense in abrasive waterjet cutting. Optimizing abrasive usage is key to enhancing the profitability of waterjet operations. The accuracy and versatility of the Hypertherm Abrasive Regulator II improve the cutting process and avoid waste by precisely delivering abrasive to the cutting head. With 30 settings that can be easily and quickly dialed in, the right amount of abrasive is consistently delivered to the cutting head.

Accustream #	Description
1-13968	OMAX® Installation Kit Use with 1-13762 Hypertherm Abrasive Regulator II.

Everything needed to retrofit an OMAX® system with a Hypertherm Abrasive Regulator II is included in this installation kit.

- Tubing, 100 ft, 5/32-in. OD, .106-in. ID
- Clear polyurethane tubing, 6 ft, 3/16-in. OD, 1/8-in. ID
- 90° swivel, 1/8-in. male NPTF × 5/32-in. tube
- Straight coupling, 1/8-in. male NPTF × 5/32-in. tube
- Straight coupling, 1/2-in. male NPT × 3/8-in. tube
- Straight coupling, 1/4-in. male NPTF × 3/16-in. tube



AccuStream parts

Waterjet products

Hypertherm abrasive pots

Accustream #	Description
1-11202	Hypertherm Abrasive Pot 800-pound capacity

Hypertherm's Abrasive Pot can increase the efficiency of waterjet operations by allowing easy access for refilling abrasive. The pot features a low level-indicator light to enable system operators to better plan for long cuts. A single valve pressurizes and depressurizes the pot. Use multiple pots to switch between abrasive types quickly.



Hypertherm reverse osmosis systems

AccuStream #	Description
1-15084	Hypertherm Reverse Osmosis System 500 gallons per day flow rate
1-13899	Hypertherm Reverse Osmosis System 2,000 gallons per day flow rate

Water quality is critical to extending the life of high-pressure components. The Hypertherm Reverse Osmosis System delivers the right level of purified water directly to the pump to extend component life and lower operating costs. Hypertherm reverse osmosis (RO) systems come with a 300-gallon holding tank. A 500-gallon holding tank is also available. Contact an AccuStream sales representative for help identifying the best RO system for your equipment.



Replacement parts for KMT®



Orifices

Autoline® orifices

AccuStream #	Description	
1-11280-XXX	Ruby Orifice	
1-11280D-XXX	Diamond Orifice	
1-21280-XXX	Ultra Sapphire Orifice	

Long-stem orifices

AccuStream #	Description	
1-13587-XXX	Ruby Orifice	
1-12612D-XXX	Diamond Orifice	
1-23587	Ultra Sapphire Orifice	

-XXX indicates the availability of multiple sizes. Call us or visit AccuStream.com for details.

Focusing tubes

.375 ROCTEC® 100 Focusing Tubes

AccuStream #	Description	
1-22784-030-30	9,53 Mixing Tube, 0,76 mm x 76,2 mm (.375" x .030" x 3.00")	
1-22784-040-30	9,53 Mixing Tube, 1,02 mm x 76,2 mm (.375" x .040" x 3.00")	

Cutting heads

60K

Replacement parts

AccuStream #	Description	Replaces	
1-13704	Complete Cutting Head, Water-only Includes 1-11436 Nozzle Tube	—	
1-13779	Complete Cutting Head, Water-only Includes 1-13708 Nozzle Tube	—	
1-11336	Autoline® Abrasive Wear Insert	05076955	
1-13708	Nozzle Tube, 3/8 in. × 7.65 in.	10138444	
1-11436	Nozzle Tube, 3/8 in. × 6 in.	10138428	
1-11430	Nozzle Tube, 3/8 in. × 3 in.	10181113	
1-11401	Nozzle Nut, 3/8 in. Use for water-only operation.	B2841	
1-14153	DiaLine Cutting Head, .281, Left-hand Thread	—	

On/off valves**60K**

Repair kits

AccuStream #	Description	Replaces	
1-12967	Complete On/off Valve Repair Kit Includes valve seat, valve seal, valve stem, brass backup ring, stainless steel backup ring	05116017 05116025	
1-11241	On/off Valve Repair Kit Does not include stainless steel backup ring	—	
1-13689	High-cycle On/off Valve Repair Kit Includes valve seat, valve seal, high-cycle stem, brass backup ring	—	

Replacement parts

AccuStream #	Description	Replaces	
1-13242	Control Valve, Normally-closed	10138824	
1-13244	Control Valve, Normally-open	10184760	
1-12089	Actuator, Normally-closed	10177855	
1-13243	Actuator, Normally-open	10189553	
1-11320	Pneumatic Valve Body	10189181	
1-11102	Valve Stem	BV901184	
1-11099	Valve Seat	10178697	
1-11100	Valve Seal Assembly	10178978	
1-12733	Backup Ring Stainless steel	10187250	
1-11104	Backup Ring Valve	10188233	
1-11240	Valve O-ring	49895584	
1-12347	Valve Nut	BV701184	

On/off valves

100K

Repair kits

AccuStream #	Description	Replaces	
1-14323	Pneumatic Valve Repair Kit, Normally-closed Includes seal assembly, needle stem, seal backup, valve seat, O-ring	20477521	
1-14324	Pneumatic Valve Repair Kit, Normally-open Includes seal assembly, needle stem, seal backup, valve seat, O-ring	20477518	

Replacement parts


AccuStream #	Description	Replaces	
1-14317	Valve Body	20475871	
1-14310	Valve Stem	20475878	
1-11099	Valve Seat	10178697	
1-14322	Seal Assembly	20474158	
1-14314	Backup Ring Bronze	20475874	
1-11240	Valve O-ring	49895584	

Pump parts**Streamline® SL-IV and SL-V**

Repair kits: Seals

AccuStream #	Description	Replaces	
1-12137	Dynamic Seal Assembly Repair Kit, SL-IV Includes dynamic seal backup, static seal	05123385	
1-12136	Static Seal Assembly Repair Kit, SL-IV Includes static seal backup, static seal	10110393	
1-12339	Dynamic Seal Assembly Repair Kit, SL-V Includes dynamic seal backup, static seal	05149703 20422243	
1-12411	Hydraulic Cartridge Seal Repair Kit Includes rod seals, backup rings, O-rings	80084759	
1-12597	Hydraulic Piston Repair Kit Includes check valve, snap rings, O-rings, piston ring, wear ring	05115951	

Repair kits: Sealing heads (check valves)

AccuStream #	Description	Replaces	
1-11368	Sealing Head Repair Kit, SL-IV Includes inlet poppet, high-pressure poppet, high-pressure seat, inlet spring, poppet pin, O-ring	—	
1-14339	Sealing Head Repair Kit, SL-V, New Style Includes inlet poppet, high-pressure poppet, high-pressure seat, inlet spring, poppet pin, O-ring	20489495	
1-12713	Sealing Head Repair Kit, SL-V, Old Style Includes inlet poppet, high-pressure poppet, high-pressure seat, inlet spring, poppet pin, O-ring	80074057	
1-12389	Poppet Spare Parts Kit, SL-V Includes high-pressure poppet, high-pressure seat, poppet guide, compression spring	05133335	

Repair kits: Dump valves

AccuStream #	Description	Replaces	
1-12593	Dump Valve Repair Kit Includes on/off valve repair kit, O-rings	05116017	

Assemblies

AccuStream #	Description	Replaces	
1-14195	Intensifier Assembly, SL-V, New Style	—	
1-12568	Intensifier Assembly, SL-V, Old Style	80072333	

Pump parts

Streamline® SL-IV and SL-V

Replacement parts

AccuStream #	Description	Replaces	
1-14196	Sealing Head Assembly, SL-V, New Style	20481005	
1-14173	Sealing Head Cylinder Liner, SL-V, New Style Use with 1-14196 New-style Sealing Head Assembly and 1-14167 New-style Sealing Head Body.	20497767 20481574	
1-14167	Sealing Head Body, SL-V, New Style	20481009	
1-14168	Inlet Poppet, SL-V, New Style	20453619	
1-14170	Inlet Poppet Retainer, SL-V, New Style	20474391	
1-14169	Inlet Poppet Screw, SL-V, New Style	20474395	
1-12596	Proximity Switch 20 volts to 250 volts AC/DC	05127584 20453934	
1-12567	Inlet Poppet Valve	05144662	
1-13802	Output Adapter Dump Valve	10079580	
1-12566	Poppet Retainer, SL-V, Old Style	05144670	
1-12388	Sealing Head Assembly, Old Style	80072349	
1-12565	High-pressure Cylinder Liner, SL-V, Old Style Use with 1-12107 Sealing Head Assembly, 1-12343 Sealing Head Body.	20418805	
1-12343	Sealing Head Body, SL-V, Old Style	49834039	
1-12341	Sealing Head Spacer, SL-V	05144696	
1-11314	Poppet Retainer, SL-IV	10118552	
1-11481	Sealing Head Assembly, SL-IV Use with 1-12107 Hydraulic Cartridge.	05116769	
1-11605	Cylinder Liner, SL-IV	05109624	
1-11317	Sealing Head Body, SL-IV	10106417	

Pump parts**Streamline® SL-IV and SL-V**

Replacement parts

AccuStream #	Description	Replaces	
1-11329	Inlet Compression Spring, SL-IV	49884562	
1-11316	Inlet Poppet, SL-IV	10107894	
1-11315	Poppet Pin, SL-IV	51167051	
1-11265	High-pressure Poppet, SL-IV	05116561	
1-11266	High-pressure Seat, SL-IV	05112768	
1-12346	Jackbolt, 7/16 in.	80070352	
1-12107	Hydraulic Cartridge Seal Assembly Use with 15-HP to 60-HP SL-IV and SL-V and 60-HP to 125-HP PRO2® units.	05130091	
1-13261	Hydraulic Cartridge Seal Assembly, E50 Use with 30-HP or 50-HP Classic units and 40-HP NEOLine® units.	80086622	
1-11223	High-pressure Cylinder, SL-IV	05059712	
1-12342	High-pressure Cylinder Body, SL-V	05144647	
1-11604	High-pressure Cylinder Nut, SL-IV	05059688	
1-12344	High-pressure Cylinder Nut, SL-V	80073646	
1-11679-132	O-ring, -132, SL-V Use with 1-12344 High-pressure Cylinder Nut.	10074-920	
1-12551	Hydraulic Cylinder, SL-V	05034764	
1-12563	Hydraulic Cylinder Head, SL-IV / SL-V	05034772	
1-11680-240	Backup Ring, SL-V Use with 1-12563 Hydraulic Cylinder Head.	05034855	
1-11679-240	O-ring, -240, SL-V Use with 1-12563 Hydraulic Cylinder Head.	10075000	
1-11319	Sealing Head Gland	05116777	

Pump parts

Streamline® SL-IV and SL-V

Replacement parts

AccuStream #	Description	Replaces	
1-11330	Compression Spring	AV500260	
1-12564	Bushing Retainer Flange	05007786	
1-11606	Ceramic Plunger	05119151 80072333	
1-12562	Piston Assembly	05132253	
1-12578	Retaining Ring	05034798	

Filters

AccuStream #	Description	Replaces	
1-14904	Water Filter Cartridge, 10 Micron, 20 in.	49834716	
1-14905	Water Filter Cartridge, 10 micron, 10 in.	10106722	
1-14906	Water Filter Cartridge, 30 Micron, 10 in.	10100782	

Pump parts**Streamline® SL-V 75/100S**

Repair kits: Seals

AccuStream #	Description	Replaces	
1-14271	Seal Assembly Repair Kit, SL-V 75/100S Includes dynamic seal backup, high-pressure seal	05149711	

Repair kits: Sealing heads (check valves)

AccuStream #	Description	Replaces	
1-14338	Sealing Head Repair Kit, SL-V 75/100S Includes low-pressure poppet, high-pressure seat, discharge poppet valve, compression spring	80084403	

Replacement parts

AccuStream #	Description	Replaces	
1-14259	Poppet Pin, SL-V 75/100S	05119839	
1-14260	Poppet Discharge Valve, SL-V 75/100S	05116603	
1-14262	Low-pressure Poppet, SL-V 75/100S	05119680	
1-14261	Poppet Retainer, SL-V 75/100S	05119698	
1-14268	Sealing Head Assembly, SL-V 75/100S	80072341	
1-14264	High-pressure Cylinder Body, SL-V 75/100S	20431076	
1-14253	High-pressure Cylinder Liner, SL-V 75/100S	05144555	
1-14270	Hydraulic Cartridge, SL-V 75/100S	05146584	
1-12578	Retaining Ring	05034798	
1-14255	Sealing Head Body, SL-V 75/100S	80071293	
1-14286	Sealing Head Nut, SL-V 75/100S	05116595	
1-14249	Sealing Head Spacer, SL-V 75/100S	05144597	
1-14263	Sealing Head Seat, SL-V 75/100S	05116579	
1-11330	Compression Spring	AV500260	
1-12346	Jackbolt, 7/16 in.	80070352	

Replacement parts for high-pressure components



Replacement parts suitable for:

High-pressure components

High-pressure tubing

60k tubing

1/4-inch outer diameter

AccuStream #	Description	Replaces	
1-WJT46240AF	Tubing, 1/4 in. × 240 in. (20 ft)	A-0774-1 80074420	
1-WJT46288AF	Tubing, 1/4 in. × 288 in. (24 ft)	—	
1-WJT46360AF	Tubing, 1/4 in. × 360 in. (30 ft)	—	

Stock length, coned and threaded

3/8-inch outer diameter

AccuStream #	Description	Replaces	
1-WJT66240AF	Tubing, 3/8 in. × 240 in. (20 ft)	A-0774-2 506478	

Stock length, coned and threaded

9/16-inch outer diameter

AccuStream #	Description	Replaces	
1-WJT96240AF	Tubing, 9/16 in. × 240 in. (20 ft)	A-0774-3 5143474	

Stock length, coned and threaded

High-pressure tubing

All AccuStream 60k tubing is autofrettaged to increase strength and durability.

OMAX®-specific high-pressure tubing

AccuStream #	Description	Replaces	
1-13256	U-shape Tubing, Power Z-Axis	303245	
1-13280	Gooseneck Tubing, 40 in.	301909	
1-13437	Tubing Coil Use with 2652, 5555 and 55100.	303547	
1-14213	Tubing Coil Use with 2652, 5555 and 55100.	304613	
1-14214	Tubing Coil Use with 80160 and 80x.	303608	
1-14393	Nipple, 3.7 in. × 3 in.	301337-3	

100k tubing

AccuStream #	Description	
1-WJT41108AF	Tubing, 1/4 in. × 108 in. (9 ft)	
1-WJT61108AF	Tubing, 3/8 in. × 108 in. (9 ft)	
1-WJT41264AF	Tubing, 1/4 in. × 264 in. (22 ft)	
1-WJT61264AF	Tubing, 3/8 in. × 264 in. (22 ft)	

Tubing is not coned or threaded.

Protective sheathing

AccuStream #	Description	Replaces	
1-12579	Tubing Sheath, 1/4 in. Use with 60k or 100k 1/4-in. OD tubing.	A-2883	
1-12580	Tubing Sheath, 3/8 in. Use with 60k or 100k 3/8-in. OD tubing.	A-2884	

High-pressure components

60K fittings

Swivel repair kits

Repair kits: 1/4 inch

AccuStream #	Description	Replaces	
1-11360	Inline Minor Swivel Repair Kit, 1/4 in. Includes swivel seal, swivel hoop, swivel bearing	26183	
1-12864	90° Swivel Minor Repair Kit, 1/4 in. Use with 12863 90° Assembly. Includes swivel seal, swivel backup, terminal block, thrust bearing, swivel thrust washers, O-rings	—	
1-14592	90° Swivel Repair Kit, 1/4 in. Use with 13123 Dual-axis 90° Swivel Assembly. Includes seal assembly, backup swivel, thrust bearing shaft, thrust bearing washer, O-rings	B-5910-1	
1-13546	Parallel Swivel Repair Kit, 1/4 in. Use with 13338 Parallel Swivel Assembly. Includes backup ring, hoop, high-pressure seal, spacer	B-7447-1	

Repair kits: 3/8 inch

AccuStream #	Description	Replaces	
1-12611	Inline and 90° Swivel Major Repair Kit, 3/8 in. Use with 12604 90° Assembly or 12605 Inline Assembly. Includes inline swivel seal, swivel bearing backup, thrust bearing, swivel shaft, metal-cased wiper, O-rings	—	
1-12610	Inline and 90° Swivel Minor Repair Kit, 3/8 in. Use with 12604 90° Assembly or 12605 Inline Assembly. Includes inline swivel seal, swivel bearing backup, thrust bearing, metal-cased wiper, O-rings	—	
1-11476	90° Swivel Repair Kit, 3/8 in. Includes seal, hoop, swivel bearing, thrust bearing, oil O-ring seal	007118-1	

60K fittings

Swivels

Assemblies

AccuStream #	Description	Replaces	
1-12607	Inline Swivel Assembly, 1/4-in. Female to male; use with 12609 Inline and 90° Swivel Major Repair Kit or 12608 Inline and 90° Swivel Minor Repair Kit. Includes swivel housings, bearing and bearing backup, swivel shaft, thrust bearing, swivel seal, antivibration assembly, O-rings	—	
1-12863	90° Swivel Assembly, 1/4-in. Female to female; use with 12864 90° Swivel Minor Repair Kit. Includes swivel seal, swivel backup, thrust bearing, O-ring	—	
1-13123	Dual-axis 90° Swivel Assembly, 1/4 in. Use with 14592 90° Swivel Repair Kit.	B-5725-1	
1-13338	Parallel Swivel Assembly, 1/4-in. Female to female; use with 13546 Parallel Swivel Repair Kit. Includes spacer, collar, swivel shaft, thrust nut, swivel housing, plug, backup ring, gland, collar, hoop, high-pressure seal	C-5152-1	
1-12605	Inline Swivel Assembly, 3/8-in. Female to male; use with 12611 Inline and 90° Swivel Major Repair Kit or 12610 Inline or 90° Swivel Minor Repair Kit. Includes swivel seal and housing, bearing backup, thrust bearing, swivel shaft, swivel bearing, bushing, O-rings	—	
1-12604	90° Swivel Assembly, 3/8-in. Female to male; use with 12611 Inline and 90° Swivel Major Repair Kit or 12610 Inline or 90° Swivel Minor Repair Kit. Includes swivel seal and housing, bearing backup, thrust bearing, swivel shaft, swivel bearing, bushing, O-rings	—	

Replacement parts

AccuStream #	Description	Replaces	
1-13276	Bulkhead Swivel Seal Use with 304507 High-pressure Swivel Assembly.	201724	
1-13279	Swivel Seal Repair Kit Includes metal-cased wiper, bulkhead swivel seal, O-rings	301665	

High-pressure components

60K fittings

Straight couplings

AccuStream #	Description	Replaces	
1-13160-60-4	Straight Coupling, 1/4 in.	A-0780-1 A-0784-1 10079028 10078244	
1-13160-60-6	Straight Coupling, 3/8 in.	A-0780-2 A-0784-2 10078905 10079523 201678	
1-13160-60-9	Straight Coupling, 9/16 in.	10078772 A-0780-3 10078640	

All AccuStream couplings include standard collars and glands.

Straight reducer couplings

AccuStream #	Description	Replaces	
1-13160-60-4F6F	Straight Reducer Coupling, 1/4-in. Female to 3/8-in. Female	A-1461 10079614	
1-13160-60-4F9F	Straight Reducer Coupling, 1/4-in. Female to 9/16-in. Female	10078145	
1-13160-60-6F9F	Straight Reducer Coupling, 3/8-in. Female to 9/16-in. Female	A-2437 10079531	

All AccuStream couplings include standard collars and glands.

Collars

AccuStream #	Description	Replaces	
1-13157-60-4	Collar, 1/4 in.	A-2867 10078426 200788	
1-13157-60-6	Collar, 3/8 in.	A-2839 10078715 200274	
1-13157-60-9	Collar, 9/16 in.	10079119	

Glands

AccuStream #	Description	Replaces	
1-13158-60-4	Gland, 1/4 in.	A-2866 10078459 200097	
1-13158-60-6	Gland, 3/8 in.	A-2838 10078129 200823	
1-13158-60-9	Gland, 9/16 in.	10078608	

60K fittings

Plugs

AccuStream #	Description	Replaces	
1-13159-60-4	Plug, 1/4 in.	A-0784-1 10078244	
1-13159-60-6	Plug, 3/8 in.	A-0784-2 10079523 200778	
1-13159-60-9	Plug, 9/16 in.	A-0784-3 10078772	

Adapters

AccuStream #	Description	Replaces	
1-13162-60-4F6M	Adapter, 1/4-in. Female to 3/8-in. Male	A-0792-1 10079432 200785	
1-13162-60-4F9M	Adapter, 1/4-in. Female to 9/16-in. Male	10079580	
1-13162-60-6F4M	Adapter, 3/8-in. Female to 1/4-in. Male	A-1267 10079473	
1-13162-60-6F9M	Adapter, 3/8-in. Female to 9/16-in. Male	A-4691 10079457	
1-13162-60-9F4M	Adapter, 9/16-in. Female to 1/4-in. Male	A-0792-3	
1-13162-60-9F6M	Adapter, 9/16-in. Female to 3/8-in. Male	10079424 10079655	

Crosses

AccuStream #	Description	Replaces	
1-13165-60-4	Cross, 1/4 in.	A-0777-1 10097228	
1-13165-60-6	Cross, 3/8 in.	A-0777-2 10078038	
1-14372	Cross, 3/8 in No fittings	—	
1-13165-60-9	Cross, 9/16 in.	A-0777-3 10079168	

All AccuStream crosses include standard collars and glands.

Tees

AccuStream #	Description	Replaces	
1-13163-60-4	Tee, 1/4 in.	A-0776-1 10079481	
1-13163-60-6	Tee, 3/8 in.	A-0776-2 10078590 201526	
1-13535	Tee, 3/8 in No fittings	—	
1-13163-60-9	Tee, 9/16 in.	10079465	

All AccuStream tees include standard collars and glands.

High-pressure components

60K fittings

Elbows

AccuStream #	Description	Replaces	
1-13164-60-4	Elbow, 1/4 in.	A-0775-1 10079051	
1-13164-60-6	Elbow, 3/8 in.	A-0775-2 10078780 201514	
1-13164-60-9	Elbow, 9/16 in.	A-0775-3 10078525	
1-13534	Elbow, 3/8 in No fittings	—	

All AccuStream elbows include standard collars and glands.

Two-way straight valves

AccuStream #	Description	Replaces	
1-13166-60-4	Two-way Straight Valve, 1/4 in.	A-0788-1 10079259	
1-13166-60-6	Two-way Straight Valve, 3/8 in.	A-0788-3 10078863	
1-13166-60-9	Two-way Straight Valve, 9/16 in.	A-0788-5 10078889	

Two-way angle valves

AccuStream #	Description	Replaces	
1-13167-60-4	Two-way Angle Valve, 1/4 in.	A-0787-1 10079002	
1-13167-60-6	Two-way Angle Valve, 3/8 in.	A-0787-3 10078749	
1-13167-60-9	Two-way Angle Valve, 9/16 in.	A-0787-5 10079275	

Three-way angle valves

AccuStream #	Description	
1-13252-60-6	Three-way Angle Valve, 3/8 in.	
1-13252-60-9	Three-way Angle Valve, 9/16 in.	

Inline wyes

AccuStream #	Description	
1-13614-6-4-4	Inline Wye, 3/8 in. to 1/4 in.	
1-13614-6-6-6	Inline Wye, 3/8 in. to 3/8 in.	

All AccuStream elbows include standard collars and glands.

60K fittings

Antivibration assemblies

AccuStream #	Description	
1-13495	Antivibration Assembly, 1/4 in. Commonly used with OMAX® systems	
1-14266	Antivibration Assembly, 3/8 in. Commonly used with OMAX® systems	

Antivibration assemblies are compatible with standard high-pressure products. Individual antivibration components are for use with AccuStream antivibration assemblies.

100K fittings

Swivels

AccuStream #	Description	Replaces	
1-14493	90° Swivel Repair Kit, 1/4 in. Use with 1-14444 90° Swivel Assembly. Includes swivel seal rings, seal backup rings, swivel shafts, needle thrust bearings, antivibration assemblies, O-rings	015093-1	 
1-14444	90° Swivel Assembly, 1/4 in. Use with 1-14493 90° Swivel Repair Kit. Includes swivel seal housing, swivel seals, seal hoops, swivel bearings, swivel bearing housings, swivel guides, bushings, needle thrust bearings, antivibration assemblies, O-rings	014922-1	

Antivibration assemblies are compatible with standard high-pressure products. Individual antivibration components are for use with AccuStream antivibration assemblies.

Antivibration assemblies

AccuStream #	Description	
1-14369	Antivibration Assembly, 1/4 in.	

High-pressure components

Nipples

1/4 inch

AccuStream #	Description	Replaces	
1-WJN4600275	Nipple, 1/4 in. × 2.75 in.	—	
1-WJN4600600	Nipple, 1/4 in. × 6 in.	13168-60-4-6 A-0781-6 10103018	
1-WJN4600800	Nipple, 1/4 in. × 8 in.	13168-60-4-8 A-0781-8	
1-WJN4601000	Nipple, 1/4 in. × 10 in.	13168-60-4-10 10057636 80070519	
1-WJN4609600	Nipple, 1/4 in. × 96 in. (8 ft)	204658-96	

Lengths longer than 3.00 in. are available on request.

3/8 inch

AccuStream #	Description	Replaces	
1-WJN6600300	Nipple, 3/8 in. × 3 in.	13168-60-6-3	
1-WJN6600400	Nipple, 3/8 in. × 4 in.	301337-4	
1-WJN6600600	Nipple, 3/8 in. × 6 in.	13168-60-6-6	
1-WJN6600800	Nipple, 3/8 in. × 8 in.	13168-60-6-8	
1-WJN6601000	Nipple, 3/8 in. × 10 in.	13168-60-6-10	
1-WJN6601200	Nipple, 3/8 in. × 12 in.	13168-60-6-12 301337-12	
1-WJN6601400	Nipple, 3/8 in. × 14 in.	301337-14	
1-WJN6601700	Nipple, 3/8 in. × 17 in.	301337-17	
1-WJN6601800	Nipple, 3/8 in. × 18 in.	301337-18	
1-WJN6602450	Nipple, 3/8 in. × 24-1/2 in.	301337-24.5	
1-WJN6602600	Nipple, 3/8 in. × 26 in.	301337-26	
1-WJN6603100	Nipple, 3/8 in. × 31 in.	301337-31	
1-WJN6603600	Nipple, 3/8 in. × 36 in. (3 ft)	301337-36	
1-WJN6604300	Nipple, 3/8 in. × 43 in.	301337-43	
1-WJN6604800	Nipple, 3/8 in. × 48 in. (4 ft)	301337-48	
1-WJN6605000	Nipple, 3/8 in. × 50 in.	301337-50	
1-WJN6605500	Nipple, 3/8 in. × 55 in.	301337-55	
1-WJN6606500	Nipple, 3/8 in. × 65 in.	301337-65	
1-WJN6608900	Nipple, 3/8 in. × 89 in.	301337-89	
1-WJN6614200	Nipple, 3/8 in. × 142 in.	301337-142	
1-WJN6614300	Nipple, 3/8 in. × 143 in.	301337-143	
1-WJN6616800	Nipple, 3/8 in. × 168 in. (14 ft)	301337-168	

Lengths longer than 3.50 in. are available on request.

9/16 inch

AccuStream #	Description	Replaces	
1-WJN9600400	Nipple, 9/16 in. × 4.00 in.	13168-60-9-4	
1-WJN9600800	Nipple, 9/16 in. × 8.00 in.	13168-60-9-8	

Lengths longer than 3.50 in. are available on request.

Hardware

Tube clamp pairs

AccuStream #	Description	
1-12838	Tube Clamp Pair, 1/4 in.	
1-13144	Tube Clamp Pair, 3/8 in.	
1-13143	Tube Clamp Pair, 9/16 in.	
1-12837	Top Plate, 1/4 in. and 3/8 in.	
1-12830	Top Plate, 9/16 in.	

Inline filters

AccuStream #	Description	Replaces	
1-13852	Inline Filter Assembly, 1/4-in. Female to female	—	
1-13853	Inline Filter Element, 1/4-in. Use with 1-13852 Inline Filter Assembly.	—	
1-11598	Inline Filter Assembly, 3/8-in. Female to male	—	
1-11600	Inline Filter Element, 3/8-in. Use with 1-11598 Inline Filter Assembly.	—	
1-13285	Inline Filter Assembly, 9/16-in. Female to female	—	
1-13222	Inline Filter Element, 9/16-in. Use with 1-13285 Inline Filter Assembly or E-Max port adapter filter.	304104	

High-pressure components

Tools

Coning and threading tools

Tool sets

AccuStream #	Description	Replaces	
1-13269	Tube Bender Assembly Use with 60k and 100k tubing.	—	
1-15492	Complete Coning and Threading Tool Set Includes 1/4-in., 3/8-in. and 9/16-in. tools	14536-60-CCT	
1-15440	Coning and Threading Tool Set Includes 1/4-in. and 3/8-in. tools	14536-60-4-6	
1-15493	Coning and Threading Tool Set Includes 1/4-in. tools	14536-60-4	
1-15494	Coning and Threading Tool Set Includes 3/8-in. tools	14536-60-6	
1-15495	Coning and Threading Tool Set Includes 9/16-in. tools	14536-60-9	
1-12798	Coning and Threading Oil, SULFLO #1	—	

All sets include a threading die, a collet, a cutter, a guide bushing, and coning and threading oil. Sets do not include tube bender assembly.

Tools

Coning and threading tools

1/4 inch

AccuStream #	Description	Replaces	
1-15439	Threading Die, 1/4 in., Left-hand	1/4-28LH	
1-15513	Guide Bushing, 1/4 in.	13154-60-4	
1-15496	Coning Tool Collet, 1/4 in.	13155-60-4	
1-15499	Coning Tool Cutter, 1/4 in.	13156-60-4	

3/8 inch

AccuStream #	Description	Replaces	
1-15477	Threading Die, 3/8 in., Left-hand	3/8-24LH	
1-15514	Guide Bushing, 3/8 in.	13154-60-6	
1-15497	Coning Tool Collet, 3/8 in.	13155-60-6	
1-15500	Coning Tool Cutter, 3/8 in.	13156-60-6	

9/16 inch

AccuStream #	Description	Replaces	
1-15478	Threading Die, 9/16 in., Left-hand	9/16-18LH	
1-15515	Guide Bushing, 9/16 in.	13154-60-9	
1-15498	Coning Tool Collet, 9/16 in.	13155-60-9	
1-15501	Coning Tool Cutter, 9/16 in.	13156-60-9	

Replacement parts suitable for:

High-pressure components

Tools

Other tools

AccuStream #	Description	Replaces	
1-12387	Seal Installation Tool Kit Use with Flow® pumps. Includes seal insertion push tool, seal insertion locator tool, seal insertion tool sleeve guide, seal installation washer	B-2291-1	
1-12029	Bleed-down Tool Use with Flow® pumps.	—	
1-13705	Cylinder Wrench Use with Flow® pumps.	A-6333	
1-13725	End-cap Spanner Wrench Use with Flow® pumps.	A-1628	
1-13972	Water Filter Wrench	—	
1-11210-XX	Lapping Paper Available in 12-, 15- and 30-micron sheets	—	
1-13281	Granite Surface Plate 9 in. × 12 in. × 2 in.	—	
1-13897	TDS Meter	—	

-XX indicates the availability of multiple sizes. Call us or visit AccuStream.com for details.

Lubricants

AccuStream #	Description	Replaces	
1-11448	Accu Goop Food-grade antiseize lubricant, 4 oz.	A-2185 10087385	
1-11111	Blue Goop Oil-based thread lubricant, 2 oz.	A-2185 302692 20460486	
1-13537	Pure Goop Halocarbon-based thread lubricant, 1 oz.	10084440	
1-11447	High-vacuum Grease Seal O-ring lubricant, 5 oz.	200006	
1-11136	High-vacuum Grease 5.3 oz.	A-4689	
1-14511	Extreme-pressure Antiscoring Lubricant 0.25 oz.	202496	
1-13969	O-ring Lubricant 4 oz.	—	

Gauges

AccuStream #	Description	
1-12028	Gauge, Back-mount	
1-12106	Gauge, Bottom-mount	

Nozzles



Nozzles

DialLine nozzles

.281 ROCTEC® 100 nozzles

AccuStream #	Description	
1-12779-020-20	.281 Nozzle, .020 in. × 2.00 in.	
1-12779-020-30	.281 Nozzle, .020 in. × 3.00 in.	
1-12779-020-40	.281 Nozzle, .020 in. × 4.00 in.	
1-12779-030-30	.281 Nozzle, .030 in. × 3.00 in.	
1-12779-030-35	.281 Nozzle, .030 in. × 3.50 in.	
1-12779-030-40	.281 Nozzle, .030 in. × 4.00 in.	
1-12779-035-30	.281 Nozzle, .035 in. × 3.00 in.	
1-12779-035-40	.281 Nozzle, .035 in. × 4.00 in.	
1-12779-040-20	.281 Nozzle, .040 in. × 2.00 in.	
1-12779-040-30	.281 Nozzle, .040 in. × 3.00 in.	
1-12779-040-35	.281 Nozzle, .040 in. × 3.50 in.	
1-12779-040-40	.281 Nozzle, .040 in. × 4.00 in.	
1-12779-045-30	.281 Nozzle, .045 in. × 3.00 in.	
1-12779-050-30	.281 Nozzle, .050 in. × 3.00 in.	
1-12779-050-35	.281 Nozzle, .050 in. × 3.50 in.	

.281 ROCTEC® 500 nozzles

AccuStream #	Description	
1-11277-020-20	.281 Nozzle, .020 in. × 2.00 in.	
1-11277-030-30	.281 Nozzle, .030 in. × 3.00 in.	
1-11277-030-40	.281 Nozzle, .030 in. × 4.00 in.	
1-11277-035-30	.281 Nozzle, .035 in. × 3.00 in.	
1-11277-035-40	.281 Nozzle, .035 in. × 4.00 in.	
1-11277-040-30	.281 Nozzle, .040 in. × 3.00 in.	
1-11277-040-40	.281 Nozzle, .040 in. × 4.00 in.	
1-11277-045-30	.281 Nozzle, .045 in. × 3.00 in.	
1-11277-050-30	.281 Nozzle, .050 in. × 3.00 in.	
1-11277-050-40	.281 Nozzle, .050 in. × 4.00 in.	
1-11277-050-50	.281 Nozzle, .050 in. × 5.00 in.	

Nozzles

A2 nozzles

.300 ROC TEC® 100 nozzles

AccuStream #	Description	
1-12781-020-30	.300 Nozzle, .020 in. × 3.00 in.	
1-12781-030-30	.300 Nozzle, .030 in. × 3.00 in.	
1-12781-030-40	.300 Nozzle, .030 in. × 4.00 in.	
1-12781-035-30	.300 Nozzle, .035 in. × 3.00 in.	
1-12781-040-30	.300 Nozzle, .040 in. × 3.00 in.	
1-12781-040-40	.300 Nozzle, .040 in. × 4.00 in.	
1-12781-045-30	.300 Nozzle, .045 in. × 3.00 in.	

.300 ROC TEC® 500 nozzles

AccuStream #	Description	
1-13189-020-20	.300 Nozzle, .020 in. × 2.00 in.	
1-13189-030-30	.300 Nozzle, .030 in. × 3.00 in.	
1-13189-040-30	.300 Nozzle, .040 in. × 3.00 in.	

Focusing tubes

.375 ROCTEC® 100 focusing tubes

AccuStream #	Description	Replaces	
1-12784-030-30	.375 Focusing Tube, .030 in. × 3.00 in.	10126969	
1-12784-040-30	.375 Focusing Tube, .040 in. × 3.00 in.	10126928	
1-12784-043-30	.375 Focusing Tube, .043 in. × 3.00 in.	—	
1-12784-063-30	.375 Focusing Tube, .063 in. × 3.00 in.	10126936	
1-12784-030-313	.375 Focusing Tube, .030 in. × 3.125 in.	10126969	
1-12784-040-313	.375 Focusing Tube, .040 in. × 3.125 in.	49835390	
1-12784-043-313	.375 Focusing Tube, .043 in. × 3.125 in.	10126928	
1-12784-043-25	.375 Focusing Tube, .043 in. × 2.50 in.		

.375 ROCTEC® 500 focusing tubes

AccuStream #	Description	Replaces	
1-12895-030-313	.375 Focusing Tube, .030 in. × 3.125 in.	05097944	

Hypertherm Waterjet Mobile Assistant

When problems arise, the Hypertherm Mobile Assistant is available 24/7 with the information you need to get your waterjet working as quickly as possible. The Mobile Assistant provides you with how-to guides for repairs and maintenance. The guides provide instructions for performing maintenance or repairs, outline what parts will be needed, what tools you'll be using, and how much time is required to complete it.

Use the QR code to download the app or visit:
<https://assist.hypertherm.com>



We ship faster so you're back to work sooner

Our goal as owners is to ensure that you get what you need when you need it.

From our job shop roots, we know how it feels to be down, so we will do everything we can to keep you cutting.

For information, contact your local AccuStream partner or
customer service at: +31 165 526156 or sales@accustream.com

Hypertherm, DiaLine, and HyPrecision are trademarks of Hypertherm, Inc. and may be registered in the United States and/or other countries. All other trademarks are the properties of their respective owners.

Environmental stewardship is one of Hypertherm's core values, and it is critical to our success and our customers' success. We are striving to reduce the environmental impact of everything we do. For more information: www.hypertherm.com/environment.

© 4/2020 Hypertherm, Inc. Revision 3

897010EN-EU



Hypertherm®
SHAPING POSSIBILITY®